

## Literatuurlijst OMFT \*

\* *Deze lijst is zeker niet uitputtend en volledig, maar er is inmiddels zo veel verschenen over MFT en gerelateerde vakgebieden, dat de opsomming van een volledige literatuurlijst een boekwerk op zich zou vormen.*  
*B.P.M. Verlinden, moderator*

AI-Nachef, C, Sergi, H.G. (zonder datum). Zur Wirksamkeit eines neuen myofunktionellen Trainingserates "FaceFormer"

Allen, K.D., Flegle, J.H., Watson, T.S. (1992). A thermoplastic thumb post for the treatment of thumb-sucking, *American Journal of Occupational Therapy*, 46(6), 552-554.

Azrin, N.H., Nunn, R.G. (1973). Habit reversal: A method of eliminating nervous habits and tics, *Behaviour Research and Therapy*, 11, 619-628.

American Speech-language hearing association, position statement (1990) III-65

American Speech-language hearing association, position statement (1992) III-351

Angle EH. Tweed profile: Dr. Edward Hartley Angle, the Henry Ford of orthodontics. *J Charles H. Tweed Int Found.* 1988 Apr;16:59-76.

Baek MS, Choi YJ, Yu HS, Lee KJ, Kwak J, Park YC. Long-term stability of anterior open-bite treatment by intrusion of maxillary posterior teeth. *Am J Orthod Dentofacial Orthop.* 2010 Oct;138(4):396.e1-9;

Balters, W. (1960). Ergebnisse gesteuerter Selbstheilung von Kieferorthopädischen Anomalien. *D. Zahnärztl. Z.*, 15, 241-248.

Barrett R.H., Hanson M.L. (1974). *Oro Myofunctional disorders*, C.V. Mosby, St. louis.

Barrett R.H., Hanson M.L. (1988). *Fundamentals of orofacial myology*. Ch. Th.Co. Springfield, Il.

Behlfelt K, Linder-Aronson S (1988.)Grosse Tonsillen und deren Einfluss auf die Kopf- und Zungenhaltung. *Fortschr Kieferorthop* 49:476-483,

Behlfelt K et al: Dentition in children with enlarged tonsils compared to control children. *Eur J Orthod* 11:416-429, 1989.

Benkert, K.K. (1997).The effectiveness of oromyofunctional therapy in improving dental occlusion, *International journal of Orofacial Myology*, 23, 35-46.

Bertoldi P M , de Felicio C M , Mastumoto M A N 2005 Effect of the early intervention of the oral habits on the development of dental occlusion .*Pró-Fono Revista de Atualização Científica* 17 : 37 – 44

Beyaert, E.M.M.L. e.a.(1990) logopedische stoornissen bij patiënten met klachten aan het kauwstelsel. *LOFO* 62, 198-200

- Beyaert, E.M.M.L. e.a.(1993). Afwijkend monddrag bekeken. Een oriënterend onderzoek bij drie verschillende groepen. LOFO 1, 26-30
- Boer, M. (1970). Aspecten van de gebitsontwikkeling bij kinderen tussen vijf en tien jaar. Ac. Proefschrift.
- Bondi, M. (1991). Mioterapia orofaciale craniocervicale. Masson, Milano
- Bondi, M. (1994). Orofaziële und craniozervikale myotherapie
- Borsel, van J. (2001). Colledictaat 'Basisbegrippen logopedie II', onderdeel van de kandidaatsopleiding Logopedie en Audiologie, Universiteit Gent, Faculteit Geneeskunde en Gezondheidswetenschappen.
- Castillo-Morales, e.a.. (1998). Die Orofaziële Regulationstherapie, Pflaum, München
- Christensen, A.P., Sanders, M.R. (1987). Habit reversal and differential reinforcement of other behaviour in the treatment of thumb sucking: An analysis of generalization and side effects, *Journal of Child Psychology and Psychiatry*, 28, 281-295.
- Christiansen R L , Evans C A , Sue S K 1979 Resting tongue pressures . The Angle Orthodontist 49 : 92 – 97
- Demetrios J. Halazonetis, Elias Katsavrias, and Meropi N. Spyropoulos; Changes in cheek pressure following rapid maxillary Expansion; *European Journal of Orthodontics* 16 (1994) 295-300
- Dworkin, J.P., Culatta, R.A. (1980). Tongue strength: its relationship to tongue thrusting, open-bite, and articulatory proficiency, *Journal of Speech and Hearing Disorders*, XLV, 277-282.
- Ellingson, S.A., Miltenberger, R.G., Stricker, J.M., Garlinghouse, M.A., Roberts, J., Galensky, T.L., Rapp, J.T. (2000). Analysis and treatment of finger sucking, *Journal of Applied Behaviour Analysis*, 33 (1), 41-52.
- Fink, F.S., Halvax, J. (2002). Thumbs Up: An interactive computerprogram for habit breaking, *Journal of Clinical Orthodontics*, 36(6), 354-355.
- Frankel, M.J., Merbaum, M. (1982). Effects of therapist contact and a self-control manual on nail biting reduction, *Behavioral Therapy*, 13, 125-129.
- Fränkel, (1963). Der Funktionsregler und das Prinzip der Entnehmung. *Fortschr. Kieferorthop.* 23, 440-456
- Freitas de MR, Beltrão RT, Janson G, Henriques JF, Cançado RH. Long-term stability of anterior open bite extraction treatment in the permanent dentition. *Am J Orthod Dentofacial Orthop.* 2004 Jan;125(1):78-87.
- Friman, P.C., Leibowitz, J.M. (1990). An effective and acceptable treatment alternative for chronic thumb- en finger-sucking, *Journal of Pediatric Psychology*, 15 (1), 57-65.

Fukumitsu K, Ohno F, Ohno T.; Lip sucking and lip biting in the primary dentition: two cases treated with a morphological approach combined with lip exercises and habituation.; *Int J Orofacial Myology*. 2003 Nov;29:42-57.

Garliner, D. (1974). *Myofunctional Therapy in Dental Practice*. Bartel Dental book, Brooklyn  
Gawlik, J.A., Ott, N.W., Mathieu, G.P. (1995). Modifications of the palatal crib habit breaker appliance to prevent palatal soft tissue embedment, *Journal of Dentistry for Children (ASDC)*, 62 (6), 409-411.

Gommerman, S.L., Hodge, M.M. (1995). Effects of oral myofunctional therapy on swallowing and sibilant production, *International journal of Orofacial Myology*, 21, 9-22.

Grabowski R , Kundt G , Stahl F 2007 Interrelation between occlusal findings and orofacial myofunctional status in primary and mixed dentition. Part III. Interrelation between malocclusions and oral facial dysfunctions . *Journal of Orofacial Orthopedics* 68 : 462 – 476

Hahn, V., Hahn, H. (1992). Efficacy of oral myofunctional therapy, *International journal of Orofacial Myology*, 17, 21-23.

Hahn V. Myofunctional therapy in Germany. *Int J Orofacial Myology*. 1991 Mar;17(1):3-4. PubMed PMID: 1917325.

Hahn V. [Myofunctional therapy--80 years old already and still misunderstood]. *Inf Orthod Kieferorthop*. 1991;23(4):517-24. Review. German. PubMed PMID: 1818895.

Hanson, M.L. (1988). Orofacial myofunctional disorders:

Haralabakis N, Papadakis G. Relapse after orthodontics and orthognathic surgery. *World J Orthod*. 2005 Summer;6(2):125-40.

Hoppenreijts TJ, van der Linden FP. [Anterior open bite]. *Ned Tijdschr Tandheelkd*. 1992 Nov;99(11):444-9.

Hoppenreijts TJ, van der Linden FP, Freihofer HP, van 't Hof MA, Tuinzing DB, Voorsmit RA, Stoelinga PJ. Occlusal and functional conditions after surgical correction of anterior open bite deformities. *Int J Adult Orthodon Orthognath Surg*. 1996;11(1):29-39.

Hoppenreijts TJ, Freihofer HP, Stoelinga PJ, Tuinzing DB, van't Hof MA, van der Linden FP, Nottet SJ. Skeletal and dento-alveolar stability of Le Fort I intrusion osteotomies and bimaxillary osteotomies in anterior open bite deformities. A retrospective three-centre study. *Int J Oral Maxillofac Surg*. 1997 Jun;26(3):161-75.

Hoppenreijts TJ, Freihofer HP, Stoelinga PJ, Tuinzing DB. [Stability of orthodontic-maxillofacial surgical treatment of anterior open bite deformities]. *Ned Tijdschr Tandheelkd*. 2001 May;108(5):173-8.

Horn H , Göz G , Bacher M , Koch J , Axmann-Kremer D 1995 Maximalkraftmessungen des Lippen- und Zungendrucks und ihre Bedeutung für die klinische Diagnostik orofazialer Dyskinesien .*Fortschritte der Kieferorthopädie* 56 : 187 – 193

Idema, N.K. Damsté, P.H. (1994). *Habitueel mondademen. Een terreinverkenning*. Bohn Stafleu en v Lochum.

Janson G, Valarelli FP, Beltrão RT, de Freitas MR, Henriques JF. Stability of anterior open-bite extraction and nonextraction treatment in the permanent dentition. *Am J Orthod Dentofacial Orthop.* 2006 Jun;129(6):768-74.

Jensen U, Ruf S. Success rate of anterior open-bite orthodontic-orthognathic surgical treatment. *Am J Orthod Dentofacial Orthop.* 2010 Dec;138(6):716-9.

Jung M H , Yang W S , Nahm D S 2003 Effects of upper lip closing force on craniofacial structures . *American Journal of Orthodontics and Dentofacial Orthopedics* 123 : 58 – 63

Feenstra, L. (1988). Adenotomie en tonsillectomie bij kinderen tot 15 jaar. *NTvG*, 132, 906-910.

Jansonius-Schultheiss, K. e.a. (1991). *Afwijkende mondgewoonten*. Acco, Leuven

Jeanmonod A. [Role of atypical deglutition in the development of masticatory apparatus dysfunction]. *Bull Acad Natl Chir Dent.* 1988;34(34):35-40. French.

Jeanmonod A. [What occlusion for the patient? The response of the functionalist school]. *Cah Prothese.* 1988 Mar;(61):39-50. French.

Jeanmonod A. [From pathological occlusion to occlusion in myocentric relation]. *Cah Prothese.* 1978 Apr;6(22):105-26. French.

Kato Y , Kuroda T , Togawa T 1989 Perioral force measurement by a radiotelemetry device . *American Journal of Orthodontics and Dentofacial Orthopedics* 95 : 410 – 414

Keski-Nisula K et. al, 2008. Orthodontic intervention in the early mixed dentition: a prospective, controlled study on the effects of the eruption guidance appliance

Arndt Klocke, Heike Korbmacher and Bärbel Kahl-Nieke; Influence of Orthodontic Appliances on Myofunctional Therapy; *Journal of Orofacial Orthopedics* Volume 61, Number 6, 414-420, DOI: 10.1007/PL00001909

Kopp, S. (zonder datum). Reliabiliteit der funktionsonierten Messung perioraler Muskulatur mit dem FaceFormer,

Kopp, S. (zonder datum). Indikation und Behandlungsstrategien myofunktionaler Therapie,

Korbmacher H , Eggers-Stroeder G , Koch L , Kahl-Nieke B 2004 Correlations between anomalies dentition and decesses of the postural and movement apparatus — a literature review . *Journal of Orofacial Orthopedics* 65 : 190 – 203

Korbmacher HM, Schwan M, Berndsen S, Bull J, Kahl-Nieke B.; Evaluation of a new concept of myofunctional therapy in children.; *Int J Orofacial Myology.* 2004 Nov;30:39-52.

Küçükkeleş N, Ceylanoğlu C.; Changes in lip, cheek, and tongue pressures after rapid maxillary expansion using a diaphragm pressure transducer.; *Angle Orthod.* 2003 Dec;73(6):662-8.

Lambrechts H, De Baets E, Fieuws S and Willems G: Lip and tongue pressure in orthodontic patients, *Eur J of Orth* 2010, januari

Lembrechts, D. Manders, E. (1997). Afwijkende mondgewoonten II. Een literatuuronderzoek naar habitueel mondademen. LOFO 7/8, 174-178

Lentini-Oliveira D, Carvalho FR, Qingsong Y, Junjie L, Saconato H, Machado MA, Prado LB, Orthodontic and orthopaedic treatment for anterior open bite in children; Cochrane Database Syst Rev. 2007 Apr 18;(2).

Lierde van K. (2005) Effectiviteit van de verschillende behandelingsstrategieën voor duimzuigen, Logopedie, 18 (2), 12-25

Lierde van K, (2005), Effectiviteit van de verschillende behandelingsstrategieën voor open mondgedrag, mondademen, voorwaartse tonghouding in rust en tongpersen. LOFO 7/8, 238-247

Linder-Aronson S, Backstrom A: A comparison between mouth and nose breathers with respect to occlusion and facial dimensions. Odontologisk Revy 11 :343, 1960.

Linder-Aronson S: Dimensions of face and palate in nose breathers and in habitual mouthbreathers. Odontologisk Revy 13: 197, 1963.

Linder-Aronson S, Aschan G: Nasal resistance to breathing and palatal height before and after expansion of the median palatine suture. Odontologisk Revy 14:254, 1963.

Linder-Aronson S: Adenoids: Their effect on mode of breathing and nasal airflow and their relationship to characteristics of the facial skeleton and the dentition. Acta Otolaryngologica, suppl 265, 1970. Thesis.

Linder-Aronson S, Henrikson C 0: Radiocephalometric analysis of antero-posterior nasopharyngeal dimensions in 6-12 year old mouthbreathers compared with nosebreathers. Practica-Otorhinolaryngologica Nr 212, 1973 (Swiss).

Linder-Aronson S: Effects of adenoidectomy on the dentition and facial skeleton over a period of five years. Transaction of the 3rd 10C, Crosby Lockwood Staples p 85, 1975

Maciel CT, Leite IC.; Etiological aspects of anterior open bite and its implications to the oral functions; Pro Fono. 2005 Apr-Dec;17(3):293-302.

Maia FA, Janson G, Barros SE, Maia NG, Chiqueto K, Nakamura AY. Long-term stability of surgical-orthodontic open-bite correction. Am J Orthod Dentofacial Orthop. 2010 Sep;138(3):254.e1-254.e10; discussion 254-6

Methenitou et. al 1990; Prevention of overbite and overjet development in the 3 to 8 year old by controlled nighttime guidance of incisal eruption: a study of 43 individuals.

Mitchell J I, Williamson F H 1978 A comparison of maximum perioral muscle forces in north American blacks and whites . The Angle Orthodontist 48 : 126 – 131

- Moll van Otterloo, J.J. Rouma, E.J.M., Tuinzing D.B., Kwast W.A.M. van der. (1993) The surgical correction of the vertical open bite in relation to speech and tongue behavior during swallowing. Ac. Proefschrift
- Moll van Otterloo, J.J. Leezenberg, J.A., Tuinzing D.B., Kwast W.A.M. van der.( 1990) The influence of the le Fort I osteotomy on nasal airways resistance. *Rhinology* 28, 107-112
- Ng CS, Wong WK, Hagg U. Orthodontic treatment of anterior open bite. *Int J Paediatr Dent.* 2008 Mar;18(2):78-83. Review.
- Norman, van R.A. (1997). Digit-sucking: a review of the literature, clinical observations and treatment recommendations, *International Journal of Orofacial Myology*, 23, 14-34.
- Nunn, R.G., Azrin, N.H. (1976). Eliminating nailbiting by the habit reversal procedure, *Behavioural Research and Therapy*, 14, 65-67.
- Pierce, R.B. (1994). Program to eliminate thumb (or finger) sucking, *International Journal of Orofacial Myology*, 20, 52-53.
- Posen A L 1972 The influence of maximum perioral and tongue force on the incisor teeth . *The Angle Orthodontist* 42 : 285 – 309
- Posen A L 1976 The application of quantitative perioral assessment to orthodontic case analysis and treatment planning . *The Angle Orthodontist* 46 : 118 – 143
- Proffit W R 1978 Equilibrium theory revisited: factors influencing position of the teeth . *The Angle Orthodontist* 48 : 175 – 186
- Proffit W R 2007 The etiology of orthodontic problems . In: Proffit W R , Fields H W , Sarver D M (eds) *Contemporary orthodontics* . 4th edn .Mosby Inc. St. Louis , pp. 153 – 154 .
- Proffit, W. e.a.(1975). Myofunctional therapy for tongue trusting; background and recommendations. *J. A. Dent. Ass.* 90, 403-411
- Proffit, W. e.a.(1986). *Contemporary orthodontics*. Mosby, St. Louis
- Rommelink, H.J. (1994) Open-mondhouding. Een overzicht. *NTVT* 101, 60-64
- Ricketts Robert M; Esthetics, environment, and the law of lip relation; *Am J Ortho* Vol 54,4, April 1968, Pages 272-289
- Rogers, A.P. (1918). Excercises for the development of the muscles of the face, with a view to increasing their functional activity. *Dent. Cosmos* 60, 857-876
- Rogers, A.P. (1918). Muscle training and its relation to orthodontia. *Int. J. Orthodont*, 4, 555
- Rogers, A.P. (1922). Making facial muscles our allies treatment and retention. *Dent. Cosmos* 64, 711-730
- Ruan W H , Chen M D , Gu Z Y , Lu Y , Su J M , Guo Q 2005 Muscular forces exerted on the normal deciduous dentition . *The Angle Orthodontist* 75 : 785 – 790

Ruan W H , Su J M , Ye X W 2007 Pressure from the lips and the tongue in children with Class III malocclusion . Journal of Zhejiang University Science B 8 : 296 – 301 .

Stahl F , Grabowski R , Gaebel M , Kundt G 2007 Relationship between occlusal findings and orofacial myofunctional status in primary and mixed dentition. Part II Prevalence of orofacial dysfunctions . Journal of Orofacial Orthopedics 68 : 74 – 90

Straub, W.J. (1960) Malfunction of the tongue. A. J. Orthod. 46, 404-424  
Katja Stormer, Hans Pancherz; Electromyography of the Perioral and Masticatory Muscles in Orthodontic Patients with Atypical Swallowing; Journal of Orofacial Orthopedics

Thüer U , Ingervall B 1986 Pressure from the lips on the teeth and malocclusion . American Journal of Orthodontics 90 : 234 – 242

Tomes C S 1873 The bearing of the development of the jaws on irregularities .Dental Cosmos 15 : 292 – 296

Tränkmann J.; Changes in Speech and Swallowing Following Myofunctional Therapy; Sprache Stimme Gehör 2005; 29(4): 157-165 DOI: 10.1055/s-2005-916221

Yuri Utanohara Æ Ryo Hayashi Æ Mineka Yoshikawa Æ Mitsuyoshi Yoshida Æ Kazuhiro Tsuga Æ Yasumasa Akagawa; Standard Values of Maximum Tongue Pressure Taken Using Newly Developed Disposable Tongue Pressure Measurement Device; Dysphagia (2008) 23:286–290

Vitorino J.; Effect of age on tongue strength and endurance scores of healthy Portuguese speakers.; Int J Speech Lang Pathol. 2010 Jun;12(3):237-43.

Wedman, J. Idema, N.K., Feenstra, L. (1992) Habituëel mondademen NTvG 136, 2269-2271

Weinstein S , Haack D C , Morris L Y , Snyder B B , Attaway H E 1963 On an equilibrium theory of tooth position . The Angle Orthodontist 33 : 1 – 26

Winders R V 1962 Recent findings in myometric research . The Angle Orthodontist 32 : 38 – 43

Wriedt S, Buhl V, Al-Nawas B, Wehrbein H. Combined treatment of open bite - long-term evaluation and relapse factors. J Orofac Orthop. 2009 Jul;70(4):318-26. Epub 2009 Aug 2. English, German.

Youmans S. Youmans Æ; Stierwalt J. A. G.; Differences in Tongue Strength Across Age and Gender: Is There a Diminished Strength Reserve? Dysphagia (2009) 24:57–65